

Product no.: MSDS-0011007a

Current version: 1.0.1. issued: 26.01.2015 Replaced version: 1.0.0. issued: 16.12.2014 Region: GB

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifier**

Trade name

# PRESEPT™ Disinfectant Tablets (Tablets packed in strips)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

Product are used for water disinfection, surface disinfections and baby bottle sterilisation.

#### 1.3 Details of the supplier of the safety data sheet

#### **Address**

**Advanced Sterilization Products** a division of Johnson & Johnson Medical Ltd. Wokingham, Berkshire, UK

Wokingham, Berkshire, UK RG40 3EW Telephone no. +44 (0)1344 871081 +44 (0)1344 871171 Fax no.

Information provided by / telephone

Technical Queries: +44 (0)1344 871081; UK Freephone: 0800 864060

**Advice on Safety Data Sheet** contact@medgb.jnj.com

#### 1.4 **Emergency telephone number**

01865 407333)

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye irritation, Category 2; H 319

Specific Target Organ Toxicity (single exposure), Category 3; H 335 Hazardous to the aquatic environment, Chronic Category 1; H 410

#### Label elements 2.2

### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

### **Hazard pictograms**



GHŠ 09



Signal word

Danger

### **Hazard statements**

EUH031 Contact with acids liberates toxic gas. H 319 Causes serious eve irritation H 335 May cause respiratory irritation.

H 410 Very toxic to aquatic life with long lasting effects

**Precautionary statements** 

P 261 Avoid breathing dust

P 273 Avoid release to the environment. P 280 Wear protective gloves/eye protection

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing

P 312 Call a POISON CENTER or doctor if you feel unwell P 337 + P313 If eye irritation persists: Get medical attention

#### 2.3 Other hazards

No data available.



Product no.: MSDS-0011007a

Current version: 1.0.1, issued: 26.01.2015 Replaced version: 1.0.0, issued: 16.12.2014 Region: GB

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### **Chemical characterization**

Aqueous preparation of the following substances with non-hazardous admixtures.

### Hazardous ingredients

No	Substance name			
	CAS / EC / Index /	Classification 67/548/EEC	Concentration	%-b.w.
	REACH no			
1	Sodium dichloroisoc	yanurate		
	2893-78-9 220-767-7	<b>(2)</b> (1) (2)	30-65	%-b.w.
	613-030-00-X-	Oxidising solids, Category 2; H272 Acute toxicity, Category 4, oral; H302 Eye irritation, Category 2; H319 Specific Target Organ Toxicity (single exposure), Category 3; H335 Hazardous to the aquatic environment, Acute Category 1; H400 Hazardous to the aquatic environment, Chronic Category 1; H410		
2	Adipic acid			
	124-04-9 204-673-3	1	10 - 35	%-b.w.
	607-144-00-9	Eye irritation, Category 2; H319		
3	Sodium Carbona	ite		
	497-19-8 207-838-8 011-005-00-2 01-2119485498-19- XXXX	Eye irritation, Category 2; H319	2 - 12	%-b.w.

Full text for all notes: pls. see section 16

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### **General information**

In case of accident or if you feel unwell, seek medical advice immediately. Remove contaminated, soaked clothing immediately and dispose of safely

#### After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Summon a doctor immediately.

#### After skin contact

Wash off immediately with soap and water. Remove contaminated clothing immediately and dispose of safely. Seek medical attention.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical assistance.

#### After ingestion

Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Summon a doctor immediately. Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Probable mucosal damage may contraindicate the use of gastric lavage.

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Water spray jet

## Unsuitable extinguishing media

Carbon dioxide



Product no.: MSDS-0011007a

Current version: 1.0.1, issued: 26.01.2015 Replaced version: 1.0.0, issued: 16.12.2014 Region: GB

### 5.2 Special hazards arising from the substance or mixture

If heated by outside source to temperatures above 240°C, this product will undergo decomposition with the evolution of noxious gases but no visible flame. Wet material may generate nitrogen trichloride, an explosion hazard.

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); Nitrogen oxides (NOx); phosgene; chlorine compounds

### 5.3 Advice for firefighters

Product itself does not burn. Adapt extinguisher and fire-fighting measures to fire in the environment. Cool endangered containers with water spray jet. Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus. Wear protective clothing

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### 6.3 Methods and material for containment and cleaning up

Take up mechanically. When picked up, treat material as prescribed under heading "Disposal considerations".

#### 6.4 Reference to other sections

Observe protective measures in sections 7 and 8.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Avoid the formation and deposition of dust. Provide good ventilation of working area (local exhaust ventilation, if necessary). Avoid contact with skin and eyes.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Provide eye wash fountain in work area. Do not inhale dust.

#### Advice on protection against fire and explosion

No special measures necessary.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Store in original container and in a cool dry area where temperatures do not exceed 25 ° C. Keep container tightly closed and store away from incompatible materials (refer to section 10 for list of incompatible materials).

#### Requirements for storage rooms and vessels

Store product in closed containers.

### Advice on storage assembly

Contact with acid liberates toxic gases. Do not allow water to get into the container. Keep out of reach of children. Store locked up Do not store together with: Acids; Alkalis; Reducing agents

### 7.3 Specific end use(s)

Mix only with water. Use clean dry utensils. Do not mix this product with remnants of any other products. Such uses may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Vapour space in a closed container may contain a slight amount of chlorine gas and other chlorine containing compounds from decomposition of the product. Exposure to chlorine gas may cause burning of the eyes, burning of the nose and mouth and irritation of the linings of the respiratory tract with coughing, a choking sensation, substernal pain, vomiting, nausea, headache, dizziness and fainting.



Product no.: MSDS-0011007a

Current version: 1.0.1, issued: 26.01.2015 Replaced version: 1.0.0, issued: 16.12.2014 Region: GB

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limit values

No 1	Substance name No parameters available for monitoring	CAS no.	EC no.
	List of approved workplace exposure limits (WELs) / EH40		
	STEL	mg/m³	ml/m³
	TWA	mg/m³	ml/m³

#### Other information

Please see your local regulations.

Substance name Sodium dichloroisocyanurate	CAS no. 2893-78-9	EC no. 220-767-7
DNEL Workers dermal Long-Term Exposure	2.3	2.3 mg/kg bw/day
DNEL Workers inhalation Long-Term Exposure	8.11	mg/m <sup>3</sup>

### 8.2 Exposure controls

#### Appropriate engineering controls

Use only in well-ventilated areas. Provide local exhaust ventilation where dust or mist may be generated. Ensure compliance with applicable exposure limits.

### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. An approved respirator with EN140 (chlorine) cartridges may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits, or when symptoms have been observed that are indicative of overexposure. The added protection of a full face piece respirator is required when visible dusty conditions are encountered and eye irritation may occur. A respiratory protection program that meets applicable regulatory requirements must be followed whenever workplace conditions warrant use of a respirator.

### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

In case of intensive contact, wear protective gloves (EN 374). Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Äppropriate Material Butyl rubber, Natural rubber, Neoprene, Nitrile, Polyvinyl chloride (PVC), Tyvek

Material thicknessmmBreakthrough timeappr.min.Appropriate MaterialIn case of short-term contact / splash protection:

Appropriate Material nitrile

#### Other

Wear protective clothing to minimize skin contact. When potential for contact with dry material exists, wear disposable coveralls suitable for dust exposure, such as Tyvek®. Contaminated clothing should be removed and laundered before reuse.

#### **Environmental exposure controls**

No data available.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

#### Form/Colour

Tablets; granules White /off white

#### Odour

Slight chlorine odour.



Product no.: MSDS-0011007a

Current version: 1.0.1, issued: 26.01.2015 Replaced version: 1.0.0, issued: 16.12.2014 Region: GB

Odour threshold		
No data available		
pH value		
Value Reference temperature	5,0 - 6,5	°C
•		C
Boiling point / boiling range Value	Not applicable (solid)	°C
Melting point / melting range		_
Value	No data available	°C
Decomposition point / decomposition range 225 - 250°C		
Flash point Not applicable (solid)		
<b>Auto-ignition temperature</b> No data available		
Oxidising properties No data available		
Explosive properties No data available		
Flammability (solid, gas) No data available		
Lower flammability or explosive limits No data available		
Upper flammability or explosive limits No data available		
Vapour pressure Not applicable (not volatile)		
Vapour density Not applicable (not volatile)		
Evaporation rate No data available		
Relative density No data available		
<b>Density</b> Value Reference temperature	No data available	g/ml °C
Solubility in water Reference temperature Remarks	Completely Soluble in Water	°C
Solubility(ies) No data available	,	
Partition coefficient: n-octanol/water Log Kow = 0		
Viscosity No data available		

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available.

### 10.2 Chemical stability

Stable

## 10.3 Possibility of hazardous reactions

Hazardous Polymerisation will not occur.

### 10.4 Conditions to avoid

The active ingredient in this preparation is a strong oxidising agent. The preparation of concentrated solutions or slurries is not recommended. Avoid contact with water on concentrated material in the container. Do not get water inside packaging.



Product no.: MSDS-0011007a

Current version: 1.0.1, issued: 26.01.2015 Replaced version: 1.0.0, issued: 16.12.2014 Region: GB

### 10.5 Incompatible materials

Strong acids and/or alkalines. Reducing agents. Combustible material. Also avoid contact with easily oxidisable organic material: ammonia, urea or similar nitrogen containing compounds; inorganic reducing compounds; floor sweeping compounds; calcium hypochlorite and alkalis.

#### 10.6 Hazardous decomposition products

Chlorine, Nitrogen trichloride, Cyanogen chloride, Oxides of carbon, Phosgene.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute oral toxicity			
LD50	>	2000	mg/kg
Species	rat		

#### The information below relates to Sodium Dichloroisocyanurate in its pure form.

Acute oral toxicity				
LD50	=	1823	mg/kg	
Species	rat			

Acute definal toxicity					
LD50	>			5000	mg/kg
Species	rabbit				
No data available					
Acute inhalational toxicity					
LC50	>	0,27	<	1,17	mg/l
Species					

### Skin corrosion/irritation

Acute dermal toxicity

No data available

#### Serious eye damage/irritation

Irritant

#### Respiratory or skin sensitisation

Irritant

# Germ cell mutagenicity

Not mutagenic in 5 salmonella strains and 1 E. coli strain.

#### Reproduction toxicity

There are no known or recorded effects on reproductive function or foetal development

#### Carcinogenicity

Not classified by NTP, IARC or OSHA

### STOT-single exposure

No data available

## STOT-repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data available



Product no.: MSDS-0011007a

Current version: 1.0.1, issued: 26.01.2015 Replaced version: 1.0.0, issued: 16.12.2014 Region: GB

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

The information below relates to Sodium Dichloroisocyanurate in its pure form.

Fish toxicity			
LC50		0.25-1.0	mg/l
Duration of exposure		96	h
Species	Bluegill Sunfisl	h	
LC50	-	0.13-0.36	mg/l
Duration of exposure		96	h
Species	Rainbow Trout	İ	
LC50		1.21	mg/l
Duration of exposure		96	h
Species	Inland Silversi	de	

Daphnia toxicity				
EC50		0.196	mg/l	
Duration of exposure		48	h	
Species	Water flea			

#### Algae toxicity

No data available

#### Bacteria toxicity

No data available

#### 12.2 Persistence and degradability

The materials used in this preparation will not persist in the environment. The free available chlorine from Sodium dishloroiso-cyanurate is rapidly consumed by reaction with organic and inorganic materials to produce chloride ion. The stable degradation products are chloride ion and cyanuric acid. Sodium Dichloroisocyanurate is subject to hydrolysis. Cyanuric acid produces by hydrolysis is biodegradable.

### 12.3 Bioaccumulative potential

Trichloroisocyanuric acid hydrolyses in water liberating chlorine and cyanuric acid. These products are not bioaccumulative.

#### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

The substances contained in this preparation are not identified as PBT substances.

#### 12.6 Other adverse effects

No data available.

### 12.7 Other information

### Other information

Product is not allowed to discharge into aquatic environment, drains or sewage treatment plants.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### **Product**

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company. Do not put product, spilled product, partially filled containers into the waste compactor. Contact with incompatible materials could cause a reaction and fire. Do not transport damp or wet material. Neutralise materials to a non-oxidising state for safe disposal.

#### Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Clean Container and dispose of according to local and national regulations.

# **SECTION 14:** Transport information

Product is not classified as hazardous for transport under Spezial Provision 335.

#### 14.1 Transport ADR/RID

Not classified as Dangerous Goods

### 14.2 Transport IMDG

Not classified as Dangerous Goods

# EC safety data sheet



Trade name: PRESEPT™ Disinfectant Tablets

Product no.: MSDS-0011007a

Current version: 1.0.1, issued: 26.01.2015 Replaced version: 1.0.0, issued: 16.12.2014 Region: GB

### 14.3 Transport ICAO-TI / IATA

Not classified as Dangerous Goods

#### 14.5 Other information

Independent tests, carried out by TNO Prins Mauritis Laboratory, according to United Nations Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, third revised edition, test O.1. has demonstrated that these products are not oxidising for transport. Furthermore, based on a bridging formula from section 2.9 of the UN Model Regulations 2011 the tablet mixture is not characterized as an acute aquatic hazard.

### 14.6 Environmental hazards

Information on environmental hazards, if relevant, pls. see 14.1 - 14.3..

#### 14.7 Special precautions for user

No data available.

#### 14.8 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant.

## **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU regulations**

### Council Directive 96/82/EC on the control of major-accident hazards involving dangerous substances

Remarks Annex I, part 2, category 3

### **National regulations**

#### Other regulations

Adhere to chemicals prohibition.

### 15.2 Chemical safety assessment

No data available.

#### **SECTION 16: Other information**

Changes made since the last version

### Sources of key data used to compile the data sheet:

EC Directive 67/548/EC resp. 99/45/EC as amended in each case.

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EC

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

http://limitvalue.ifa.dguv.de/WebForm\_ueliste.aspx

#### Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H 272	May intensify fire; oxidiser.
H 302	Harmful if swallowed.
H 319	Causes serious eye irritation
H 335	May cause respiratory irritation.
H 400	Very toxic to aquatic life
H 410	Very toxic to aquatic life with long lasting effects

### Department issuing safety data sheet

Ingenieur- und Sachverständigenbüro ROLAND BRAUN

Peter-Timm-Straße 21, D-22457 Hamburg

Tel.: +49 40 / 43 27 09 15 Fax: +49 40 / 43 27 09 16 e-mail: info@rolandbraun.de

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.