



EU DECLARATION OF CONFORMITY

We hereby confirm that our car door locking device can be in compliance with the **EUROPEAN LIFT DIRECTIVE 2014/33/EU**. The statement is based on a single evaluation of one sample of below mentioned products. The CE mark below can be used under the responsibility of manufacturer after completion of an EU declaration of conformity and compliance with all relevant EU directives.

Manufacturer:

Shanghai BST Door System CO., Ltd
Da-maiwan Industrial Zone, Hangtou Town, Pudong
New District, Shanghai, China

Model Number:

Applicable to the following types of doors

Name	Door Type	Clear Opening (mm)	Clear Height (mm)
SK41.3-JMS	C2	700~1300	2000~2200
	T2	700~1300	

Car operators: O.M:

5002834-0001

Approved Locking device:

Car Door Locking Device

Application of Locking device:

Gravity

Model of Locking device:

SK41.3-JMS

Standard(s)

EN81-50:2014

Reference Standard(s)

EN81-20:2014

Date of Submission:

16.01.2018

Notified Body for EU Type Test: European Inspection and Certification company S.A

89, CHLOIS STR. & LIKOVRISEIS, 144 52 METAMORFOSI,
ATHENS, GREECE

Certification NO.: SCMB.0136

Identification Number:

1128

Notified Body for random

checking according to annex IX of the directive 2014/33/EU

89, CHLOIS STR. & LIKOVRISEIS, 144 52 METAMORFOSI,
ATHENS, GREECE

Identification Number:

1128

Signature

Date: 13.12.2021



EU PROHLÁŠENÍ O SHODĚ

Tímto potvrzujeme, že naše uzávěrka šachetních dveří může být v souladu s **EVROPSKOU SMĚRNICÍ 2014/33/EU**. Toto tvrzení je založeno na hodnocení jednoho vzorku níže uvedených výrobků. Značka CE uvedena níže může být využívána na odpovědnost výrobce po dokončení prohlášení o shodě a zajištění souladu s veškerými ostatními příslušnými směrnici EU.

Výrobce: Shanghai BST Door System CO., Ltd
Da-maiwan Industrial Zone, Hangtou Town, Pudong
New District, Shanghai, China

Model číslo: Platí pro následující typy dveří:

Název	Typ dveří	Světlá šířka (mm)	Světlá výška (mm)
SK41.3-JMS	C2	700~1300	2000~2200
	T2	700~1300	

Kabinový operátor: O.M: 5002834-0001

Schvalovaná uzávěrka dveří: Uzávěrka kabinových dveří

Použití uzávěrky dveří: Zatížení

Model uzávěrky dveří: SK41.3-JMS

Norma(y): EN81-50:2014

Referenční norma(y): EN81-20:2014

Datum vydání: 16.1.2018

Oznámený subjekt pro EU typový test: European Inspection and Certification company S.A
89, CHLOIS STR. & LIKOVRISEIS, 144 52 METAMORFOSI,
ATHENS, GREECE

Certifikát č.: SCMB.0136

Identifikační číslo: 1128

Oznámený subjekt pro náhodnou kontrolu podle přílohy IX Směrnice

2014/33/EU: European Inspection and Certification company S.A
89, CHLOIS STR. & LIKOVRISEIS, 144 52 METAMORFOSI,
ATHENS, GREECE

Identifikační číslo: 1128

EU DECLARATION OF CONFORMITY

We hereby confirm that our landing door locking device can be in compliance with the **EUROPEAN LIFT DIRECTIVE 2014/33/EU**. The statement is based on a single evaluation of one sample of below mentioned products. The CE mark below can be used under the responsibility of manufacturer after completion of an EU declaration of conformity and compliance with all relevant EU directives.

Manufacturer: **Shanghai BST Door System CO., Ltd**
Da-maiwan Industrial Zone, Hangtou Town, Pudong
New District, Shanghai, China

Model Number: **Applicable to the following types of doors**

Name	Door Type	Clear Opening (mm)	Clear Height (mm)
210/10/40	C2	700~1300	2000~2200
	T2	700~1300	

Landing mechanism: O.M:

5002836-0006	5002836-0005	5002836-0004
5002836-0003	5002836-0002	5002836-0001

Approved Locking device: **Landing Door Locking Device**

Application of Locking device: **Gravity Compress Spring**

Model of Locking device: **210/10/40**

Standard(s) **EN81-50:2014**

Date of Submission: **11.07.2016**

Notified Body for EU Type Test: **European Inspection and Certification company S.A**
89, CHLOIS STR. & LIKOVRISEIS, 144 52 METAMORFOSI,
ATHENS, GREECE

Certification NO.: SCMB.0053

Identification Number: **1128**

Notified Body for random checking according to annex IX of the directive 2014/33/EU **European Inspection and Certification company S.A**
89, CHLOIS STR. & LIKOVRISEIS, 144 52 METAMORFOSI,
ATHENS, GREECE

Identification Number: **1128**

Signature

Date: 13.12.2021



EU PROHLÁŠENÍ O SHODĚ

Tímto potvrzujeme, že naše uzávěrka šachetních dveří může být v souladu s **EVROPSKOU SMĚRNICÍ 2014/33/EU**. Toto tvrzení je založeno na hodnocení jednoho vzorku níže uvedených výrobků. Značka CE uvedena níže může být využívána na odpovědnost výrobce po dokončení prohlášení o shodě a zajištění souladu s veškerými ostatními příslušnými směrnici EU.

Výrobce: Shanghai BST Door System CO., Ltd
Da-maiwan Industrial Zone, Hangtou Town,
Pudong New District, Shanghai, China

Model číslo: Platí pro následující typy dveří:

Název	Typ dveří	Světlá šířka (mm)	Světlá výška (mm)
210/10/40	C2	700~1300	2000~2200
	T2	700~1300	

Šachetní mechanismus: O.M:

5002836-0006	5002836-0005	5002836-0004
5002836-0003	5002836-0002	5002836-0001

Schvalovaná uzávěrka dveří: Uzávěrka šachetních dveří

Použití uzávěrky dveří: Pružina působící na principu gravitačního stlačení

Model uzávěrky dveří: 210/10/40

Norma(y): EN81-50:2014

Datum vydání: 11.7.2016

Oznámený subjekt pro EU typový test: European Inspection and Certification company S.A
89, CHLOIS STR. & LIKOVRISEIS, 144 52 METAMORFOSI,
ATHENS, GREECE

Certifikát č.: SCMB.0053

Identifikační číslo: 1128

Oznámený subjekt pro náhodnou kontrolu podle přílohy IX Směrnice

2014/33/EU: European Inspection and Certification company S.A
89, CHLOIS STR. & LIKOVRISEIS, 144 52 METAMORFOSI,
ATHENS, GREECE

Identifikační číslo: 1128



EVROPSKÁ INŠPEKČNÍ A CERTIFIKAČNÍ SPOLEČNOST S.A.

**CERTIFIKÁT EU PŘEZKOUŠENÍ TYPU PRO BEZPEČNOSTNÍ KOMPONENTY V SOULADU S EVROPSKOU
SMĚRNICÍ 2014/33/EU, PŘÍLOHA IV (MODUL B)**

Certifikát č.:	SCMB.0136
Platnost certifikátu:	13/03/2028
Žadatel / držitel certifikátu (jméno a adresa):	SHANGHAI BST DOOR SYSTEM CO.LTD./ No 1. HANGQI ROAD INDUSTRIAL ZONE, HANGTOU, PUDONG NEW AREA, SHANGHAI, P.R. CHINA
Výrobce (jméno a adresa):	Stejně jako žadatel
Datum podání:	16/01/2018
Zkušební laboratoř (jméno a adresa):	National Elevator Inspection and Testing Center/ No. 61, Jinguang Avenue, Langfang City, Hebei, P.R. China
Datum a číslo zprávy o přezkoušení:	27.12.2017 / T14-F340-17-128
Schválený typ dveřní uzávěrky:	Uzávěrka kabinových dveří
Aplikace dveřní uzávěrky:	Zatížení
Model dveřní uzávěrky:	SK41.3-JMS
Norma(y):	EN81-50:2014
Referenční norma(y):	EN81-20:2014
Typ jmenovitého napětí:	AC/DC
Hodnoty jmenovitého napětí:	230V/48V
Typ jmenovitého proudu:	AC/DC
Hodnoty jmenovitého proudu:	2.0A/2.0A
*Nutná síla pro uvedení zařízení do chodu:	-

* při oslabení dveřní uzávěrky

EUROCERT SA, výše zmíněný notifikovaný orgán s identifikačním číslem 1128, potvrzuje, že výše zmíněná bezpečnostní komponenta splňuje bezpečnostní požadavky evropské směrnice č. 2014/33/EU.

Výrobce je oprávněn nabízet tuto bezpečnostní komponentu popsanou výše s označením CE v následujícím formátu:

CE1128

Podmínky:

Je nutné, aby výše uvedené bezpečnostní zařízení bylo vždy doprovázeno prohlášením o shodě a příslušnými pokyny k jeho užívání.

INSPECTOR

Shawn Tan

SHAWN TAN

Athens, 14/03/2018



Konstantinos Psychogios
Construction Products and Laboratories
Manager



Inspections
Cert No.: 53

07.13.6/E20/16-01-2014

Please check the validity of the certificate from our website using the password AN2w4N7t

89, CHLOIS STR & LIKOVRISEOS, 144 52 METAMORFOSI, ATHENS, GREECE
Tel: ++30 210 62.52.495, 30 210 62.53.927 - Fax: ++30 210 62.03.018
Internet site: www.eurocert.gr - e-mail: eurocert@otenet.gr



Page 1 of 2



EUROPEAN INSPECTION AND CERTIFICATION COMPANY S.A.

**EU TYPE-EXAMINATION CERTIFICATE FOR SAFETY COMPONENTS
ACCORDING TO EUROPEAN LIFT DIRECTIVE 2014/33/EU ANNEX IV (MODULE B)**

Certificate Number:	SCMB.0136
Certificate Expiry Date:	13/03/2028
Applicant/Certificate Holder (Name & Address):	Shanghai BST DOOR System Co., Ltd./ No.1 Hangqi Road Industrial Zone, Hangtoun, Pudong New Area, Shanghai, P.R. China
Manufacturer (Name & Address):	Same as applicant
Date of Submission:	16/01/2018
Test Laboratory (Name & Address):	National Elevator Inspection and Testing Center / No. 61, Jinguang Avenue, Langfang City, Hebei, P. R. China
Date and Number of test report:	27.12.2017 / T14-F340-17-128
Approved Type of locking device:	Car Door Locking Device
Application of locking device:	Gravity
Model of locking device:	SK41.3-MS
Standard(s):	EN81-50:2014
Reference Standard(s):	EN81-20:2014
Type of rated voltage:	AC/DC
Values of rated voltage:	230V/200V
Type of rated current:	AC/DC
Values of rated current:	2.0A/2.0A
*Necessary force to actuate:	--

**for flag type door locking device only*

EUROCERT SA, aforementioned notified body with identification number 1128,
ascertains and certifies that above safety component satisfy the safety requirements of the European
Directive 2014/33/EU.

The manufacturer is authorized to provide the safety component described above with the
CE Mark as displayed below:

CE 1128

Preconditions:

It is required that the above safety equipment must always come with a declaration of conformity
and the relevant instructions of use.

Athens, 14/03/2018

INSPECTOR

Shawn Tan

SHAWN TAN



Konstantinos Psychogios
Consulting Products and Laboratories
Manager

Please check the validity of the certificate from our website using the password AN2w4N7t



Inspections
Cert No.: 53

89, CHLOIS STR. & LIKOVRISEOS, 144 52 METAMORFOSI, ATHENS, GREECE
Tel.: ++30 210 62.52.495, 30 210 62.53.927 - Fax: ++30 210 62.03.018
Internet site: www.eurocert.gr - e-mail: eurocert@otenet.gr


API.13.6/E20/16-01-2014

Page 1 of 2



**EUROPEAN INSPECTION AND CERTIFICATION COMPANY S.A.
ANNEX A TO CERTIFICATE SCMB.0136**

DESIGN DRAWINGS



Inspections
Cert No.: 53

89, CHLOIS STR. & LIKOVRISEOS, 144 52 METAMORFOSI, ATHENS, GREECE
Tel.: ++30 210 62.52.495, 30 210 62.53.927 - Fax: ++30 210 62.03.018
Internet site: www.eurocert.gr - e-mail: eurocert@otenet.gr





EVROPSKÁ INSPEKČNÍ A CERTIFIKAČNÍ SPOLEČNOST S.A.

**CERTIFIKÁT EU PŘEZKOUŠENÍ TYPU PRO BEZPEČNOSTNÍ KOMPONENTY V SOULADU S EVROPSKOU
SMĚRNICÍ 2014/33/EU, PŘÍLOHA IV (MODUL B)**

Certifikát č.:	SCMB.0053
Žadatel/Držitel certifikátu (jméno a adresa):	Shanghai BST Door System CO. LTD/ Da-Maiwan Industrial Zone, Hangtoun Town, Pudong New District, Shanghai, China
Výrobce (jméno a adresa):	Shoduje se s žadatelem
Datum podání:	11.7.2016
Zkušební laboratoř (jméno a adresa):	National Elevator Inspection and Testing Center / No. 61, Jinguang Avenue, Langfang City, 065000 Hebei, P.R. China
Datum a číslo zprávy o přezkoušení:	30.06.2016 / T14-F34-16-091
Schválený typ dveřní uzávěrky:	Uzávěrka šachetních dveří
Aplikace dveřní uzávěrky:	Zatížení kompresní pružiny
Model dveřní uzávěrky:	210/10/40
Norma(y):	EN81-50:2014
Typ jmenovitého napětí:	AC/DC
Hodnoty jmenovitého napětí:	AC230V/DC200V
Typ jmenovitého proudu:	AC/DC
Hodnoty jmenovitého proudu:	AC1.0A/DC1.0A
*Nutná síla pro uvedení zařízení do chodu	--

**** pouze pro dveře otočného typu**

EUROCERT SA, výše zmíněný notifikovaný orgán s identifikačním číslem 1128, potvrzuje, že výše zmíněná bezpečnostní komponenta splňuje bezpečnostní požadavky evropské směrnice č. 2014/33/EU.

Výrobce je oprávněn nabízet tuto bezpečnostní komponentu popsanou výše s označením CE v následujícím formátu:

CE 1128

Podmínky:

Je nutné, aby výše uvedené bezpečnostní zařízení bylo vždy doprovázeno prohlášením o shodě a příslušnými pokyny k jeho užívání.

INSPECTOR

Athens, 26/09/2016

FOR EUROCERT SA

Chao Wang

Chao Wang

George Nikolopoulos
GEORGE NIKOLOPOULOS
Technical Director

Please check the validity of the certificate from our website using the password



99, ETHESS STR & THOUKSEOUS 104 52 4 ATHENS GREECE
T: +30 210 62 12 12

Cert No: 53

13.6/E20/16-01-202*



EUROPEAN INSPECTION AND CERTIFICATION COMPANY S.A.

**EU TYPE-EXAMINATION CERTIFICATE FOR SAFETY COMPONENTS
ACCORDING TO EUROPEAN LIFT DIRECTIVE 2014/33/EU ANNEX IV (MODULE B)**

Certificate Number:	SCMB.0053
Applicant/Certificate Holder (Name & Address):	Shanghai BST Door System CO. LTD/ Da-Maiwan Industrial Zone, Hangtoun Town, Pudong New Distric, Shanghai, China
Manufacturer (Name & Address):	Same as applicant
Date of Submission:	11.07.2016
Test Laboratory (Name & Address):	National Elevator Inspection and Testing Center / No. 61, Jinguang Avenue, Langfang City, 065000 Hebei, P. R. China
Date and Number of test report:	30.06.2016 / T14-F34-16-091
Approved Type of locking device:	Landing Door Locking Device
Application of locking device:	Gravity Compress Spring
Model of locking device:	210/10/40
Standard(s):	EN81-50:2014
Type of rated voltage:	AC/DC
Values of rated voltage:	AC230V/DC200V
Type of rated current:	AC/DC
Values of rated current:	AC1.0A/DC1.0A
*Necessary force to actuate:	--

**for flag type door locking device only*

EUROCERT SA, aforementioned notified body with identification number 1128,
ascertains and certifies that above safety component satisfy the safety requirements of the European
Directive 2014/33/EU.

The manufacturer is authorized to provide the safety component described above with the
CE Mark as displayed below:


CE 1128

Preconditions:

It is required that the above safety equipment must always come with a declaration of conformity
and the relevant instructions of use.

INSPECTOR

Chad Wang
Chad Wang



FOR EUROCERT SA

George Nikolopoulos
GEORGE NIKOLOPOULOS
Technical Director

Please check the validity of the certificate from our website using the password nx470x2F



Cert No.: 53-3
01.13.6/E20/15-01-2014

89, CHLOIS STR. & LIKOVRISEOS, 144 52 METAMORFOSI, ATHENS, GREECE
Tel.: ++30 210 62.52.495, 30 210 62.53.927 - Fax: ++30 210 62.03.018
Internet site: www.eurocert.gr - e-mail: eurocert@otenet.gr

