







CHOPN




Kaplanovy-Meierovy křivky přežití

CHOPN fenotypy



	Bronchitický	Emfyzematický	BCOS	ACOS	Exacerbační	Kachexie
Long-rank (Mantel-Cox) test P-value	0,2972	0,1607	0,1886	0,0263	0,0826	0,0002
Median survival: group A	6,87	7,26	7,10	6,62	7,00	6,91
group B	6,39	6,18	5,97	Undefined	5,42	3,90
Hazard ratio (long rank)	1,15	1,25	1,35	0,51	1,32	2,56
95% CI	0,89–1,48	0,92–1,69	0,86–2,11	0,32–0,80	0,97–1,79	1,56–4,18


Věk, BMI, kouření




	Věk	BMI	Kouření	
Long-rank (Mantel-Cox) test P-value	<0,0001	0,0002	0,1976	0,0825
Median survival: group A	Undefined	3,48	5,22	5,22
group B	6,44	6,44	6,91	6,91
group C	4,91	7,13	6,44	x
Hazard ratio (long rank)				1,39
95% CI				0,91–2,12

GOLD (FEV1), DLCO, srdeční selhání



FEV1



DLCO







srdeční selhání



	FEV1		DLCO	Srdeční selhání
		<50% vs ≥50%		
Long-rank (Mantel-Cox) test P-value	0,0090	0,0131	<0,0001	0,0010
Median survival: group A	7,64	7,64	10,7	7,13
group B	5,82		5,00	4,86
group C	5,43	5,63		
Hazard ratio (long rank)		1,38	2,61	1,66
95% CI		1,07–1,79	1,88–3,61	1,16–2,38

mMRC, CAT, CHOPN-kategorie 2017



	mMRC		CAT		Kat.2017	
		0-2 vs 3-4		CAT <10 vs ≥10	CAT <18 vs ≥18	
Long-rank (Mantel-Cox) test P-value	<0,0001	<0,0001	0,0245	0,0513	0,0089	0,0142
Median survival: group A	9,35	8,92	8,82	8,82	7,61	Undefined
group B	7,88		7,13	6,28		6,71
group C	5,44	5,03	6,00			6,00
group D	4,19					
Hazard ratio (long rank)		1,92		1,36	1,43	
95% CI		1,42–2,58		1,02–1,83	1,08–1,88	

TOP 3

	P-value	Hazard ratio	95% CI
DLCO	<0,0001	2,61	1,88–3,61
mMRC	<0,0001	1,92	1,42–2,58
Kachexie	0,0002	2,56	1,56–4,18

