


Bruker MALDI Biotyper Identification Results



Run Info:

Run Identifier: 210106-0910-1015
Comment:
Operator: maldi@FLEX-PC
Run Creation Date/Time: 2021-01-06T09:30:30.433
Number of Tests: 35
Type: Standard
BTS-QC: not present
BTS-QC Position:
Instrument ID: 269944.01064
Server Version: 4.1.100 (PYTH) 174 2019-06-158_01-16-09

Result Overview

Sample Name	Sample ID	Organism (best match)	Score Value	Organism (second-best match)	Score Value
B6 (+++)(A)	* A 83 (Standard)	Klebsiella pneumoniae	2.41	Klebsiella pneumoniae	2.36
B7 (+++)(A)	* A 96 (Standard)	Klebsiella pneumoniae	2.38	Klebsiella pneumoniae	2.37
B8 (+++)(A)	* A 126 (Standard)	Klebsiella variicola	2.38	Klebsiella variicola	2.38
B9 (+++)(A)	* A 128 (Standard)	Klebsiella variicola	2.38	Klebsiella variicola	2.38
B10 (+++)(A)	* A 132 (Standard)	Klebsiella variicola	2.30	Klebsiella variicola	2.28
B11 (+++)(A)	* A 134 (Standard)	Klebsiella variicola	2.39	Klebsiella variicola	2.33
B12 (+++)(A)	* A 140 (Standard)	Klebsiella variicola	2.40	Klebsiella variicola	2.36

Result overview table--continued on next page

<i>Result overview table--continued from previous page</i>					
Sample Name	Sample ID	Organism (best match)	Score Value	Organism (second-best match)	Score Value
C1 (+++)(A)	* A 142 (Standard)	Klebsiella pneumoniae	2.50	Klebsiella pneumoniae	2.32
C2 (+++)(A)	* A 163 (Standard)	Klebsiella variicola	2.46	Klebsiella variicola	2.43
C3 (+++)(A)	* A 171 (Standard)	Klebsiella variicola	2.39	Klebsiella variicola	2.38
C4 (+++)(A)	* A 200 (Standard)	Klebsiella pneumoniae	2.42	Klebsiella pneumoniae	2.36
C5 (+++)(A)	* A 216 (Standard)	Klebsiella pneumoniae	2.53	Klebsiella pneumoniae	2.49
C6 (+++)(A)	* A 227 (Standard)	Klebsiella pneumoniae	2.40	Klebsiella pneumoniae	2.37
C7 (+++)(A)	* A 38 (Standard)	Klebsiella pneumoniae	2.50	Klebsiella pneumoniae	2.37
C8 (+++)(A)	* B 32 (Standard)	Klebsiella pneumoniae	2.41	Klebsiella pneumoniae	2.39
C9 (+++)(A)	* B 37 (Standard)	Klebsiella pneumoniae	2.32	Klebsiella pneumoniae	2.31
C10 (+++)(A)	* B 90 (Standard)	Klebsiella pneumoniae	2.31	Klebsiella pneumoniae	2.26
C11 (+++)(A)	* B 102 (Standard)	Klebsiella pneumoniae	2.35	Klebsiella pneumoniae	2.34
C12 (+++)(A)	* B 107 (Standard)	Klebsiella pneumoniae	2.24	Klebsiella pneumoniae	2.24
D1 (+++)(A)	* B 148 (Standard)	Klebsiella pneumoniae	2.31	Klebsiella pneumoniae	2.30
D2 (+++)(A)	* B 154 (Standard)	Klebsiella variicola	2.50	Klebsiella variicola	2.44
D3 (+++)(A)	* C 72 (Standard)	Klebsiella pneumoniae	2.45	Klebsiella pneumoniae	2.44
D4 (+++)(A)	* C 94 (Standard)	Klebsiella pneumoniae	2.40	Klebsiella pneumoniae	2.40
<i>Result overview table--continued on next page</i>					

Result overview table--continued from previous page					
Sample Name	Sample ID	Organism (best match)	Score Value	Organism (second-best match)	Score Value
D5 (+++)(A)	* C 80 (Standard)	Klebsiella pneumoniae	2.53	Klebsiella pneumoniae	2.45
D6 (+++)(A)	* C 209 (Standard)	Klebsiella pneumoniae	2.35	Klebsiella pneumoniae	2.33
D7 (+++)(A)	* C 158 (Standard)	Klebsiella variicola	2.44	Klebsiella variicola	2.44
D8 (+++)(A)	* C 155 (Standard)	Klebsiella pneumoniae	2.46	Klebsiella pneumoniae	2.40
D9 (+++)(A)	* C 111 (Standard)	Klebsiella variicola	2.37	Klebsiella variicola	2.31
D10 (+++)(A)	* C 117 (Standard)	Klebsiella pneumoniae	2.22	Klebsiella pneumoniae	2.20
D11 (+++)(A)	* C 118 (Standard)	Klebsiella variicola	2.43	Klebsiella variicola	2.39
D12 (+++)(A)	* C 121 (Standard)	Klebsiella variicola	2.38	Klebsiella variicola	2.32
E1 (+++)(A)	* C 125 (Standard)	Klebsiella pneumoniae	2.50	Klebsiella pneumoniae	2.46
E2 (+++)(A)	* C 128 (Standard)	Klebsiella pneumoniae	2.43	Klebsiella pneumoniae	2.36
E3 (+++)(A)	* C 129 (Standard)	Klebsiella pneumoniae	2.41	Klebsiella pneumoniae	2.40
E4 (+++)(A)	* C 136 (Standard)	Klebsiella pneumoniae	2.44	Klebsiella pneumoniae	2.33

Matching Hints

Matched Pattern	Comment
Klebsiella pneumoniae 37585 PFM	closely related to Klebsiella variicola
Klebsiella pneumoniae 37595 PFM	closely related to Klebsiella variicola
Klebsiella pneumoniae RV_BA_03_B LBK	closely related to Klebsiella variicola
Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	closely related to Klebsiella variicola
Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	closely related to Klebsiella variicola
Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	closely related to Klebsiella variicola
Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	closely related to Klebsiella variicola
Klebsiella pneumoniae ssp pneumoniae DSM 30104T_QC DSM	closely related to Klebsiella variicola
Klebsiella pneumoniae ssp rhinoscleromatis DSM 16231T HAM	closely related to Klebsiella variicola
Klebsiella variicola 150416_01 BRUS	closely related to Klebsiella pneumoniae
Klebsiella variicola 150519_01 SAH	closely related to Klebsiella pneumoniae
Klebsiella variicola 150519_03 SAH	closely related to Klebsiella pneumoniae
Klebsiella variicola 37924 PFM	closely related to Klebsiella pneumoniae
Klebsiella variicola CC_2053 MCW	closely related to Klebsiella pneumoniae
Klebsiella variicola CC_2123 MCW	closely related to Klebsiella pneumoniae
<i>Matching Hints table--continued on next page</i>	

<i>Matching Hints table--continued from previous page</i>	
Matched Pattern	Comment
Klebsiella variicola DSM 15968T DSM	closely related to Klebsiella pneumoniae
Klebsiella variicola DSM 15968T HAM	closely related to Klebsiella pneumoniae
Klebsiella variicola NY_1036 MCW	closely related to Klebsiella pneumoniae
Klebsiella variicola NY_1064 MCW	closely related to Klebsiella pneumoniae
Klebsiella variicola NY_1125 MCW	closely related to Klebsiella pneumoniae
Klebsiella variicola TC_4131 MCW	closely related to Klebsiella pneumoniae


Meaning of Score Values

Range	Interpretation	Symbols	Color
2.00 - 3.00	High-confidence identification	(+++)	green
1.70 - 1.99	Low-confidence identification	(+)	yellow
0.00 - 1.69	No Organism Identification Possible	(-)	red

Meaning of Consistency Categories (A - C)

Category	Interpretation
(A)	High consistency: The best match is a high-confidence identification. The second-best match is (1) a high-confidence identification in which the species is identical to the best match, (2) a low-confidence identification in which the species or genus is identical to the best match, or (3) a non-identification.
(B)	Low consistency: The requirements for high consistency are not met. The best match is a high- or low-confidence identification. The second-best match is (1) a high- or low-confidence identification in which the genus is identical to the best match or (2) a non-identification.
(C)	No consistency: The requirements for high or low consistency are not met.

Sample 1



Sample Name: B6
Sample Description:
Sample ID: * A 83
Sample Creation Date/Time: 2021-01-06T09:15:33.074
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.41	72407
2 (+++)	Klebsiella pneumoniae RV_BA_03_B_LBK	2.26	573
3 (+++)	Klebsiella pneumoniae 37585 PFM	2.26	573
4 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.26	574
5 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T_QC DSM	2.25	72407
6 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.18	72407
7 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.18	574
8 (+++)	Klebsiella pneumoniae 37595 PFM	2.12	573
9 (+++)	Klebsiella variicola 150416_01 BRUS	2.04	244366
10 (+++)	Klebsiella pneumoniae ssp rhinoscleromatis DSM 16231T HAM	2.00	39831


Sample 2



Sample Name: B7
Sample Description:
Sample ID: * A 96
Sample Creation Date/Time: 2021-01-06T09:15:33.075
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.38	72407
2 (+++)	Klebsiella pneumoniae RV_BA_03_B_LBK	2.37	573
3 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T_QC_DSM	2.36	72407
4 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T_HAM	2.25	72407
5 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T_DSM	2.24	574
6 (+++)	Klebsiella pneumoniae 37585_PFM	2.19	573
7 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T_HAM	2.17	574
8 (+++)	Klebsiella pneumoniae 37595_PFM	2.02	573
9 (+++)	Klebsiella pneumoniae ssp rhinoscleromatis DSM 16231T_HAM	2.01	39831
10 (+++)	Klebsiella variicola DSM 15968T_DSM	2.00	244366


Sample 3



Sample Name: B8
Sample Description:
Sample ID: * A 126
Sample Creation Date/Time: 2021-01-06T09:15:33.075
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella variicola NY_1125 MCW	2.38	244366
2 (+++)	Klebsiella variicola CC_2053 MCW	2.38	244366
3 (+++)	Klebsiella variicola DSM_15968T DSM	2.36	244366
4 (+++)	Klebsiella variicola TC_4131 MCW	2.33	244366
5 (+++)	Klebsiella variicola NY_1064 MCW	2.33	244366
6 (+++)	Klebsiella variicola 150416_01 BRUS	2.32	244366
7 (+++)	Klebsiella variicola CC_2123 MCW	2.30	244366
8 (+++)	Klebsiella variicola 150519_03 SAH	2.27	244366
9 (+++)	Klebsiella variicola 37924 PFM	2.21	244366
10 (+++)	Klebsiella variicola 150519_01 SAH	2.17	244366


Sample 4



Sample Name: B9
Sample Description:
Sample ID: * A 128
Sample Creation Date/Time: 2021-01-06T09:15:33.076
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella variicola CC_2053 MCW	2.38	244366
2 (+++)	Klebsiella variicola DSM 15968T DSM	2.38	244366
3 (+++)	Klebsiella variicola 150416_01 BRUS	2.32	244366
4 (+++)	Klebsiella variicola TC_4131 MCW	2.38	244366
5 (+++)	Klebsiella variicola 150519_03 SAH	2.27	244366
6 (+++)	Klebsiella variicola 37924 PFM	2.26	244366
7 (+++)	Klebsiella variicola NY_1125 MCW	2.25	244366
8 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.22	72407
9 (+++)	Klebsiella variicola NY_1064 MCW	2.19	244366
10 (+++)	Klebsiella variicola CC_2123 MCW	2.18	244366


Sample 5



Sample Name: B10
Sample Description:
Sample ID: * A 132
Sample Creation Date/Time: 2021-01-06T09:15:33.076
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella variicola TC_4131 MCW	2.30	244366
2 (+++)	Klebsiella variicola CC_2053 MCW	2.28	244366
3 (+++)	Klebsiella variicola 150416_01 BRUS	2.26	244366
4 (+++)	Klebsiella variicola 150519_03 SAH	2.22	244366
5 (+++)	Klebsiella variicola DSM_15968T DSM	2.21	244366
6 (+++)	Klebsiella variicola 37924 PFM	2.17	244366
7 (+++)	Klebsiella variicola NY_1064 MCW	2.17	244366
8 (+++)	Klebsiella variicola CC_2123 MCW	2.12	244366
9 (+++)	Klebsiella variicola NY_1125 MCW	2.11	244366
10 (+++)	Klebsiella variicola 150519_01 SAH	2.09	244366


Sample 6



Sample Name: B11
Sample Description:
Sample ID: * A 134
Sample Creation Date/Time: 2021-01-06T09:15:33.077
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy


Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella variicola CC_2053 MCW	2.39	244366
2 (+++)	Klebsiella variicola DSM_15968T DSM	2.33	244366
3 (+++)	Klebsiella variicola 150416_01 BRUS	2.30	244366
4 (+++)	Klebsiella variicola 150519_03 SAH	2.30	244366
5 (+++)	Klebsiella variicola TC_4131 MCW	2.24	244366
6 (+++)	Klebsiella variicola CC_2123 MCW	2.23	244366
7 (+++)	Klebsiella variicola NY_1125 MCW	2.21	244366
8 (+++)	Klebsiella variicola NY_1064 MCW	2.21	244366
9 (+++)	Klebsiella variicola 37924 PFM	2.16	244366
10 (+++)	Klebsiella variicola NY_1036 MCW	2.16	244366

Sample 7



Sample Name: B12
Sample Description:
Sample ID: * A 140
Sample Creation Date/Time: 2021-01-06T09:15:33.077
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoExecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy


Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella variicola DSM 15968T DSM	2.40	244366
2 (+++)	Klebsiella variicola CC 2053 MCW	2.36	244366
3 (+++)	Klebsiella variicola NY 1125 MCW	2.22	244366
4 (+++)	Klebsiella variicola 150416_01 BRUS	2.22	244366
5 (+++)	Klebsiella variicola TC 4131 MCW	2.22	244366
6 (+++)	Klebsiella variicola 150519_03 SAH	2.21	244366
7 (+++)	Klebsiella variicola 37924 PFM	2.21	244366
8 (+++)	Klebsiella variicola CC 2123 MCW	2.16	244366
9 (+++)	Klebsiella variicola NY 1064 MCW	2.14	244366
10 (+++)	Klebsiella variicola DSM 15968T HAM	2.05	244366

Sample 8

Sample Name: C1
Sample Description:
Sample ID: * A 142
Sample Creation Date/Time: 2021-01-06T09:15:33.078
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.50	72407
2 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T_QC DSM	2.32	72407
3 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.26	72407
4 (+++)	Klebsiella pneumoniae RV_BA_03_B LBK	2.26	573
5 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.21	574
6 (+++)	Klebsiella pneumoniae 37585 PFM	2.21	573
7 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.17	574
8 (+++)	Klebsiella pneumoniae 37595 PFM	2.09	573
9 (+)	Klebsiella pneumoniae ssp rhinoscleromatis DSM 16231T HAM	1.96	39831
10 (+)	Klebsiella variicola 150416_01 BRUS	1.96	244366

Sample 9



Sample Name: C2
Sample Description:
Sample ID: * A 163
Sample Creation Date/Time: 2021-01-06T09:15:33.078
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella variicola 150416_01 BRUS	2.46	244366
2 (+++)	Klebsiella variicola CC_2053 MCW	2.43	244366
3 (+++)	Klebsiella variicola DSM_15968T DSM	2.33	244366
4 (+++)	Klebsiella variicola TC_4131 MCW	2.32	244366
5 (+++)	Klebsiella variicola 150519_03 SAH	2.31	244366
6 (+++)	Klebsiella variicola 150519_01 SAH	2.31	244366
7 (+++)	Klebsiella variicola NY_1064 MCW	2.27	244366
8 (+++)	Klebsiella variicola 37924 PFM	2.25	244366
9 (+++)	Klebsiella variicola NY_1125 MCW	2.22	244366
10 (+++)	Klebsiella variicola CC_2123 MCW	2.22	244366


Sample 10



Sample Name: C3
Sample Description:
Sample ID: * A 171
Sample Creation Date/Time: 2021-01-06T09:15:33.079
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella variicola 150416_01 BRUS	2.39	244366
2 (+++)	Klebsiella variicola CC_2053 MCW	2.38	244366
3 (+++)	Klebsiella variicola TC_4131 MCW	2.36	244366
4 (+++)	Klebsiella variicola DSM_15968T DSM	2.35	244366
5 (+++)	Klebsiella variicola 150519_03 SAH	2.31	244366
6 (+++)	Klebsiella variicola NY_1125 MCW	2.27	244366
7 (+++)	Klebsiella variicola NY_1064 MCW	2.27	244366
8 (+++)	Klebsiella variicola 37924 PFM	2.25	244366
9 (+++)	Klebsiella variicola CC_2123 MCW	2.23	244366
10 (+++)	Klebsiella variicola 150519_01 SAH	2.19	244366


Sample 11



Sample Name: C4
Sample Description:
Sample ID: * A 200
Sample Creation Date/Time: 2021-01-06T09:15:33.079
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoExecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T QC DSM	2.42	72407
2 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.36	72407
3 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.24	574
4 (+++)	Klebsiella pneumoniae RV_BA_03_B LBK	2.17	573
5 (+++)	Klebsiella pneumoniae 37585 PFM	2.14	573
6 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.13	574
7 (+++)	Klebsiella variicola 150416_01 BRUS	2.13	244366
8 (+++)	Klebsiella pneumoniae 37595 PFM	2.11	573
9 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.09	72407
10 (+++)	Klebsiella variicola DSM 15968T DSM	2.05	244366


Sample 12



Sample Name: C5
Sample Description:
Sample ID: * A 216
Sample Creation Date/Time: 2021-01-06T09:15:33.080
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.53	72407
2 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T QC DSM	2.49	72407
3 (+++)	Klebsiella pneumoniae RV_BA_03_B LBK	2.43	573
4 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.38	574
5 (+++)	Klebsiella pneumoniae 37585 PFM	2.33	573
6 (+++)	Klebsiella variicola CC_2053 MCW	2.31	244366
7 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.29	574
8 (+++)	Klebsiella variicola 150519_03 SAH	2.28	244366
9 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.25	72407
10 (+++)	Klebsiella variicola TC_4131 MCW	2.25	244366


Sample 13



Sample Name: C6
Sample Description:
Sample ID: * A 227
Sample Creation Date/Time: 2021-01-06T09:15:33.080
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.40	72407
2 (+++)	Klebsiella pneumoniae RV_BA_03_B_LBK	2.37	573
3 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T_QC_DSM	2.32	72407
4 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T_DSM	2.31	574
5 (+++)	Klebsiella pneumoniae 37585_PFM	2.28	573
6 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T_HAM	2.24	574
7 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T_HAM	2.17	72407
8 (+++)	Klebsiella variicola 150416_01_BRUS	2.08	244366
9 (+++)	Klebsiella pneumoniae 37595_PFM	2.05	573
10 (+++)	Klebsiella variicola 150519_03_SAH	2.03	244366


Sample 14



Sample Name: C7
Sample Description:
Sample ID: * A 38
Sample Creation Date/Time: 2021-01-06T09:15:33.081
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoExecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.50	574
2 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T QC DSM	2.37	72407
3 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.37	72407
4 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.24	574
5 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.21	72407
6 (+++)	Klebsiella pneumoniae RV_BA_03_B_LBK	2.20	573
7 (+++)	Klebsiella pneumoniae 37585 PFM	2.17	573
8 (+++)	Klebsiella pneumoniae 37595 PFM	2.11	573
9 (+++)	Klebsiella variicola 150416_01 BRUS	2.01	244366
10 (+)	Klebsiella variicola CC_2053 MCW	1.99	244366


Sample 15



Sample Name: C8
Sample Description:
Sample ID: * B 32
Sample Creation Date/Time: 2021-01-06T09:15:33.081
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T QC DSM	2.41	72407
2 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.39	574
3 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.34	72407
4 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.26	574
5 (+++)	Klebsiella pneumoniae 37585 PFM	2.23	573
6 (+++)	Klebsiella pneumoniae RV_BA_03_B_LBK	2.23	573
7 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.21	72407
8 (+++)	Klebsiella pneumoniae 37595 PFM	2.15	573
9 (+++)	Klebsiella variicola 150519_03 SAH	2.06	244366
10 (+++)	Klebsiella variicola DSM 15968T DSM	2.01	244366


Sample 16



Sample Name: C9
Sample Description:
Sample ID: * B 37
Sample Creation Date/Time: 2021-01-06T09:15:33.082
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.32	574
2 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T QC DSM	2.31	72407
3 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.28	72407
4 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.25	574
5 (+++)	Klebsiella pneumoniae RV BA 03 B LBK	2.25	573
6 (+++)	Klebsiella pneumoniae 37585 PFM	2.20	573
7 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.16	72407
8 (+++)	Klebsiella variicola 150519_03 SAH	2.07	244366
9 (+++)	Klebsiella variicola 150416_01 BRUS	2.06	244366
10 (+++)	Klebsiella pneumoniae 37595 PFM	2.03	573

Sample 17



Sample Name: C10
Sample Description:
Sample ID: * B 90
Sample Creation Date/Time: 2021-01-06T09:15:33.082
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoExecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.31	72407
2 (+++)	Klebsiella pneumoniae RV_BA_03_B_LBK	2.26	573
3 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T_QC_DSM	2.23	72407
4 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T_DSM	2.22	574
5 (+++)	Klebsiella pneumoniae 37585_PFM	2.19	573
6 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T_HAM	2.17	574
7 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T_HAM	2.08	72407
8 (+++)	Klebsiella variicola 150416_01_BRUS	2.04	244366
9 (+)	Klebsiella pneumoniae 37595_PFM	1.99	573
10 (+)	Klebsiella variicola TC_4131_MCW	1.95	244366


Sample 18



Sample Name: C11
Sample Description:
Sample ID: * B 102
Sample Creation Date/Time: 2021-01-06T09:15:33.083
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T_QC DSM	2.35	72407
2 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.34	72407
3 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.29	574
4 (+++)	Klebsiella pneumoniae RV_BA_03_B LBK	2.19	573
5 (+++)	Klebsiella pneumoniae 37585 PFM	2.18	573
6 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.15	574
7 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.11	72407
8 (+++)	Klebsiella pneumoniae 37595 PFM	2.11	573
9 (+)	Klebsiella variicola 150416_01 BRUS	1.99	244366
10 (+)	Klebsiella variicola 150519_03 SAH	1.97	244366


Sample 19



Sample Name: C12
Sample Description:
Sample ID: * B 107
Sample Creation Date/Time: 2021-01-06T09:15:33.083
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.24	72407
2 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.24	574
3 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T_QC DSM	2.21	72407
4 (+++)	Klebsiella pneumoniae RV_BA_03_B LBK	2.17	573
5 (+++)	Klebsiella pneumoniae 37585 PFM	2.09	573
6 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.08	72407
7 (+++)	Klebsiella variicola 150519_03 SAH	2.00	244366
8 (+)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	1.97	574
9 (+)	Klebsiella pneumoniae 37595 PFM	1.97	573
10 (+)	Klebsiella variicola DSM 15968T DSM	1.95	244366


Sample 20



Sample Name: D1
Sample Description:
Sample ID: * B 148
Sample Creation Date/Time: 2021-01-06T09:15:33.084
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy


Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.31	72407
2 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T QC DSM	2.30	72407
3 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.24	574
4 (+++)	Klebsiella pneumoniae RV_BA_03_B LBK	2.07	573
5 (+++)	Klebsiella pneumoniae 37585 PFM	2.06	573
6 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.02	72407
7 (+)	Klebsiella pneumoniae 37595 PFM	1.99	573
8 (+)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	1.99	574
9 (+)	Klebsiella variicola 150519_03 SAH	1.87	244366
10 (+)	Klebsiella variicola NY_1064 MCW	1.83	244366

Sample 21



Sample Name: D2
Sample Description:
Sample ID: * B 154
Sample Creation Date/Time: 2021-01-06T09:15:33.084
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoExecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy


Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella variicola CC_2053 MCW	2.50	244366
2 (+++)	Klebsiella variicola 150416_01 BRUS	2.44	244366
3 (+++)	Klebsiella variicola DSM_15968T DSM	2.39	244366
4 (+++)	Klebsiella variicola CC_2123 MCW	2.38	244366
5 (+++)	Klebsiella variicola TC_4131 MCW	2.34	244366
6 (+++)	Klebsiella variicola 150519_03 SAH	2.33	244366
7 (+++)	Klebsiella variicola NY_1064 MCW	2.32	244366
8 (+++)	Klebsiella variicola 37924 PFM	2.32	244366
9 (+++)	Klebsiella variicola NY_1125 MCW	2.28	244366
10 (+++)	Klebsiella variicola 150519_01 SAH	2.25	244366

Sample 22

Sample Name: D3
Sample Description:
Sample ID: * C 72
Sample Creation Date/Time: 2021-01-06T09:15:33.085
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoExecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy


Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.45	72407
2 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.44	574
3 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T_QC DSM	2.38	72407
4 (+++)	Klebsiella pneumoniae 37585 PFM	2.32	573
5 (+++)	Klebsiella pneumoniae RV_BA_03_B_LBK	2.30	573
6 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.28	574
7 (+++)	Klebsiella variicola 150416_01 BRUS	2.17	244366
8 (+++)	Klebsiella variicola 150519_03 SAH	2.16	244366
9 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.14	72407
10 (+++)	Klebsiella pneumoniae 37595 PFM	2.13	573

Sample 23



Sample Name: D4
Sample Description:
Sample ID: * C 94
Sample Creation Date/Time: 2021-01-06T09:15:33.085
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy


Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.40	72407
2 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T QC DSM	2.40	72407
3 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.39	574
4 (+++)	Klebsiella pneumoniae RV_BA_03_B LBK	2.33	573
5 (+++)	Klebsiella pneumoniae 37585 PFM	2.31	573
6 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.29	574
7 (+++)	Klebsiella pneumoniae 37595 PFM	2.17	573
8 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.11	72407
9 (+++)	Klebsiella variicola 150416_01 BRUS	2.09	244366
10 (+++)	Klebsiella variicola 150519_03 SAH	2.07	244366

Sample 24

Sample Name: D5
Sample Description:
Sample ID: * C 80
Sample Creation Date/Time: 2021-01-06T09:15:33.086
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.53	72407
2 (+++)	Klebsiella pneumoniae RV_BA_03_B_LBK	2.45	573
3 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.33	574
4 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T_QC DSM	2.32	72407
5 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.30	72407
6 (+++)	Klebsiella pneumoniae 37585 PFM	2.29	573
7 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.26	574
8 (+++)	Klebsiella pneumoniae ssp rhinoscleromatis DSM 16231T HAM	2.19	39831
9 (+++)	Klebsiella pneumoniae 37595 PFM	2.16	573
10 (+)	Klebsiella variicola 150416_01 BRUS	1.95	244366

Sample 25



Sample Name: D6
Sample Description:
Sample ID: * C 209
Sample Creation Date/Time: 2021-01-06T09:15:33.086
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy


Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.35	72407
2 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.33	574
3 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T_QC DSM	2.28	72407
4 (+++)	Klebsiella pneumoniae 37585 PFM	2.26	573
5 (+++)	Klebsiella pneumoniae RV_BA_03_B_LBK	2.24	573
6 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.21	72407
7 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.20	574
8 (+++)	Klebsiella variicola 150416_01 BRUS	2.10	244366
9 (+++)	Klebsiella pneumoniae 37595 PFM	2.08	573
10 (+++)	Klebsiella variicola 150519_03 SAH	2.00	244366

Sample 26



Sample Name: D7
Sample Description:
Sample ID: * C 158
Sample Creation Date/Time: 2021-01-06T09:15:33.087
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy


Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella variicola 150416_01 BRUS	2.44	244366
2 (+++)	Klebsiella variicola CC_2053 MCW	2.44	244366
3 (+++)	Klebsiella variicola DSM_15968T DSM	2.38	244366
4 (+++)	Klebsiella variicola CC_2123 MCW	2.36	244366
5 (+++)	Klebsiella variicola NY_1064 MCW	2.34	244366
6 (+++)	Klebsiella variicola NY_1125 MCW	2.32	244366
7 (+++)	Klebsiella variicola TC_4131 MCW	2.32	244366
8 (+++)	Klebsiella variicola 150519_03 SAH	2.29	244366
9 (+++)	Klebsiella variicola 37924 PFM	2.27	244366
10 (+++)	Klebsiella variicola NY_1036 MCW	2.16	244366

Sample 27

Sample Name: D8
Sample Description:
Sample ID: * C 155
Sample Creation Date/Time: 2021-01-06T09:15:33.087
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy


Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.46	72407
2 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.40	574
3 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T_QC DSM	2.39	72407
4 (+++)	Klebsiella pneumoniae RV_BA_03_B LBK	2.33	573
5 (+++)	Klebsiella pneumoniae 37585 PFM	2.30	573
6 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.27	574
7 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.25	72407
8 (+++)	Klebsiella variicola 150416_01 BRUS	2.21	244366
9 (+++)	Klebsiella pneumoniae 37595 PFM	2.16	573
10 (+++)	Klebsiella variicola 150519_03 SAH	2.06	244366

Sample 28




Sample Name: D9
Sample Description:
Sample ID: * C 111
Sample Creation Date/Time: 2021-01-06T09:15:33.088
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoExecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella variicola CC_2053 MCW	2.37	244366
2 (+++)	Klebsiella variicola DSM_15968T DSM	2.31	244366
3 (+++)	Klebsiella variicola 150416_01 BRUS	2.30	244366
4 (+++)	Klebsiella variicola 150519_03 SAH	2.25	244366
5 (+++)	Klebsiella variicola TC_4131 MCW	2.22	244366
6 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.22	72407
7 (+++)	Klebsiella variicola CC_2123 MCW	2.21	244366
8 (+++)	Klebsiella variicola 37924 PFM	2.19	244366
9 (+++)	Klebsiella variicola NY_1064 MCW	2.18	244366
10 (+++)	Klebsiella variicola 150519_01 SAH	2.17	244366

Sample 29

Sample Name: D10
Sample Description:
Sample ID: * C 117
Sample Creation Date/Time: 2021-01-06T09:15:33.089
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoExecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy


Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.22	72407
2 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T QC DSM	2.20	72407
3 (+++)	Klebsiella pneumoniae RV_BA_03_B LBK	2.17	573
4 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.17	574
5 (+++)	Klebsiella pneumoniae 37585 PFM	2.12	573
6 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.12	574
7 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.03	72407
8 (+)	Klebsiella variicola 150519_03 SAH	1.94	244366
9 (+)	Klebsiella variicola 37924 PFM	1.92	244366
10 (+)	Klebsiella variicola TC_4131 MCW	1.91	244366

Sample 30

Sample Name: D11
Sample Description:
Sample ID: * C 118
Sample Creation Date/Time: 2021-01-06T09:15:33.089
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoExecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy


Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella variicola CC_2053 MCW	2.43	244366
2 (+++)	Klebsiella variicola 150416_01 BRUS	2.39	244366
3 (+++)	Klebsiella variicola TC_4131 MCW	2.37	244366
4 (+++)	Klebsiella variicola NY_1064 MCW	2.32	244366
5 (+++)	Klebsiella variicola NY_1125 MCW	2.30	244366
6 (+++)	Klebsiella variicola DSM_15968T DSM	2.30	244366
7 (+++)	Klebsiella variicola CC_2123 MCW	2.29	244366
8 (+++)	Klebsiella variicola 150519_03 SAH	2.23	244366
9 (+++)	Klebsiella variicola 37924 PFM	2.22	244366
10 (+++)	Klebsiella variicola 150519_01 SAH	2.15	244366

Sample 31



Sample Name: D12
Sample Description:
Sample ID: * C 121
Sample Creation Date/Time: 2021-01-06T09:15:33.090
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoExecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy


Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella variicola CC_2053 MCW	2.38	244366
2 (+++)	Klebsiella variicola DSM_15968T DSM	2.32	244366
3 (+++)	Klebsiella variicola 150416_01 BRUS	2.32	244366
4 (+++)	Klebsiella variicola TC_4131 MCW	2.30	244366
5 (+++)	Klebsiella variicola CC_2123 MCW	2.27	244366
6 (+++)	Klebsiella variicola 150519_03 SAH	2.26	244366
7 (+++)	Klebsiella variicola NY_1064 MCW	2.25	244366
8 (+++)	Klebsiella variicola NY_1125 MCW	2.23	244366
9 (+++)	Klebsiella variicola 37924 PFM	2.20	244366
10 (+++)	Klebsiella variicola NY_1036 MCW	2.15	244366

Sample 32

Sample Name: E1
Sample Description:
Sample ID: * C 125
Sample Creation Date/Time: 2021-01-06T09:15:33.090
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoExecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.50	72407
2 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T QC DSM	2.46	72407
3 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.43	574
4 (+++)	Klebsiella pneumoniae RV_BA_03_B LBK	2.40	573
5 (+++)	Klebsiella pneumoniae 37585 PFM	2.39	573
6 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.32	574
7 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.20	72407
8 (+++)	Klebsiella pneumoniae 37595 PFM	2.20	573
9 (+++)	Klebsiella variicola 150416_01 BRUS	2.19	244366
10 (+++)	Klebsiella pneumoniae ssp rhinoscleromatis DSM 16231T HAM	2.13	39831


Sample 33



Sample Name: E2
Sample Description:
Sample ID: * C 128
Sample Creation Date/Time: 2021-01-06T09:15:33.091
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoExecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.43	72407
2 (+++)	Klebsiella pneumoniae RV_BA_03_B_LBK	2.36	573
3 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T_QC_DSM	2.36	72407
4 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T_DSM	2.34	574
5 (+++)	Klebsiella pneumoniae 37585_PFM	2.34	573
6 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T_HAM	2.28	574
7 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T_HAM	2.28	72407
8 (+++)	Klebsiella pneumoniae 37595_PFM	2.15	573
9 (+++)	Klebsiella variicola 150416_01_BRUS	2.14	244366
10 (+++)	Klebsiella variicola 150519_03_SAH	2.13	244366


Sample 34



Sample Name: E3
Sample Description:
Sample ID: * C 129
Sample Creation Date/Time: 2021-01-06T09:15:33.091
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoExecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T QC DSM	2.41	72407
2 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.40	574
3 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.38	72407
4 (+++)	Klebsiella pneumoniae RV_BA_03_B LBK	2.34	573
5 (+++)	Klebsiella pneumoniae 37585 PFM	2.31	573
6 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.29	574
7 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.27	72407
8 (+++)	Klebsiella variicola 150416_01 BRUS	2.23	244366
9 (+++)	Klebsiella variicola 150519_03 SAH	2.19	244366
10 (+++)	Klebsiella variicola DSM 15968T DSM	2.17	244366

Sample 35



Sample Name: E4
Sample Description:
Sample ID: * C 136
Sample Creation Date/Time: 2021-01-06T09:15:33.092
Sample Type: Standard
Identification Method: MALDI Biotyper MSP Identification Standard Method 1.1
Preprocessing Method: MALDI Biotyper Preprocessing Standard Method 1.1
ACQ Method: D:\Methods\flexControlMethods\MBT_FC.par
AutoXecute Method: MBT_AutoX
Consistency Category (based on 2 best matches): A
Applied Taxonomy Tree: Bruker Taxonomy

Rank (Quality)	Matched Pattern	Score Value	NCBI Identifier
1 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T DSM	2.44	574
2 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T QC DSM	2.33	72407
3 (+++)	Klebsiella pneumoniae 37585 PFM	2.25	573
4 (+++)	Klebsiella pneumoniae ssp pneumoniae 9295_1 CHB	2.23	72407
5 (+++)	Klebsiella pneumoniae ssp ozaenae DSM 16358T HAM	2.18	574
6 (+++)	Klebsiella pneumoniae RV_BA_03_B_LBK	2.17	573
7 (+++)	Klebsiella pneumoniae ssp pneumoniae DSM 30104T HAM	2.14	72407
8 (+++)	Klebsiella variicola 150519_03 SAH	2.13	244366
9 (+++)	Klebsiella variicola 150416_01 BRUS	2.10	244366
10 (+++)	Klebsiella variicola CC_2053 MCW	2.07	244366